





HERSCHBERGER
WINDOWS, INC.



Steel Entry Doors



6-Panel



680 - CL



1 - Lite




Full View



692 - CL



1-lite Prairie



3/4 Prairie



Full Prairie



Custom Grid
Patterns Available



659 - CL




637 - CL



3-Panel



3/4 Oval




3/4 Lite




3-Panel Craftsman



1-lite Craftsman




3-lite Craftsman



6-lite Craftsman



9-Lite



12 - Lite



15-Lite



569 - CL



605 - CL

BLINDS



1-lite Blinds



3/4 Blinds



Full Blinds



1-lite Blinds
& Grids



3/4 Blinds
& Grids



Full Blinds
& Grids

VENTS, BLINDS & GRILLES



1-lite Vent
Also available
in 3/4 and full vent

Use our vents for a boost of fresh air in workshops, garages or your home. Ten adjustments allow you to control the flow of air. A durable UV-resistant molded frame and removable screen ease cleaning. Low-E options available.




INTERNAL BLINDS:

- Control light and privacy with fingertip tilt adjustment
- LightTouch Control® raises and lowers the blind*
- Blinds sealed in between clear insulated glass
- No exposed cords to tangle
- Low-E glass available
- Select models available with tan blinds

**This feature not available for all sizes*

INTERNAL GRILLES:

Grilles are sealed between two panes of tempered safety glass




Rectangle Internal Grille
(standard)



Contoured Internal Grille
(optional)

Slim Line Internal Grille
(optional, not shown)



ROUGH OPENING DIMENSIONS

LOW-E GLASS BENEFITS:

Winter

- Allows solar energy in
- Reduces as much as 71% of heat loss
- Reduces drafts and cold spots

Summer

- Reduces direct sun rays
- Reduces cooling loss
- Blocks re-radiated solar heat
- Filters UV rays

Low-E is available on most clear doorlights.

DOOR SIZE	TYPES OF UNIT	WIDTHS/HEIGHTS
2'6"	Single Door	32-3/8" x 82-1/4"
2'8"	Single Door	34-3/8" x 82-1/4"
3'0"	Single Door	38-3/8" x 82-1/4"
2'8"	Single Door with one (14") sidelight	49-7/8" x 82-1/4"
3'0"	Single Door with one (14") sidelight	53-7/8" x 82-1/4"
2'8"	Single Door with two (14") sidelight	65-3/8" x 82-1/4"
3'0"	Single Door with two (14") sidelight	69-3/8" x 82-1/4"
5'4"	Double Door	66-7/8" x 82-1/4"
6'0"	Double Door	74-7/8" x 82-1/4"

TERRACE DOORS

5'4"	Terrace Door	67-5/8" x 82-1/4"
6'0"	Terrace Door	75-5/8" x 82-1/4"

Note: Doors are 2'8" or 3'0" in width and 6'8" in height. 2'6" are available in some styles.


STEEL DOOR CONSTRUCTION

Features And Benefits

① HCFC free polyurethane foam insulation provides impressive thermal performance

② Smooth finish, 22 and 24 gauge, hot dip galvanized steel skins provide long lasting resistance to rust while providing dent and delamination resistance

③ 12" Pine lock block with grooves for 6'8" doors and 24" Pine lock block with grooves for 8'0" doors prevents telegraphing



④ 1 3/16" jointed pine stiles, the widest stile in the industry, adds extra stability

⑤ Factory applied primer or factory painting offers protection against the elements

⑥ Composite bottom rail prevents rotting

2023



VINYL WINDOWS & EXTERIOR DOORS

623 N CR 250 E - Tuscola, IL 61953

Phone: 217.543.2106

Email: darrell@herschbergerwindows.com

Website: herschbergerwindows.com

DISTRIBUTOR OF



◆ Sliding Patio Doors

◆ Storm Doors & Entry Doors